


Introducing ecoFITTOM® the world's first PVC-O pressure fittings for use in Rural and Civil pressurised water reticulation networks



PVC-O PRESSURE PIPE TM

Apollo

PVC-O PRESSURE FITTINGS

iPLEX
Pipelines

PVC-O Pressure Fittings



Strength

Molecular orientation offers improved mechanical properties and higher impact strength, compared with Iplex PVC-U pressure fittings

Lighter Weight

- Manual handling up to DN375
- **Significantly lighter** weight than the Ductile Iron equivalent fittings

Performance

- 16-bar pressure rated (PN16)
- Corrosion resistant PVC-O material
- Single material pipe system - compatible with Iplex Series 1 PVC-O, PVC-M and PVC-U pressure pipe

Retained Joint Seals

- Factory-fitted "retained" seal, rubber ring joint system

Compliance

Applied for compliance to prEN 17176 Part 3 Piping Systems For Water Supply And For Buried And Above Ground Drainage, Sewerage And Irrigation Under Pressure - Orientated Unplasticized Poly (Vinyl Chloride) (PVC-O)



**Significantly
lighter**

than the Ductile
Iron equivalent
fittings



Ranging

Diameters - Series 1 DN150, DN175, DN225, DN300 and DN375

Product Range

Product Code	Size (mm)	Product
8801.150.22	150	 22.5° Bend
8801.175.22	175	
8801.225.22	225	
8801.300.22	300	
8801.375.22	375	
8801.150.45	150	 45° Bend
8801.175.45	175	
8801.225.45	225	
8801.300.45	300	
8801.375.45	375	
8810.150	150	 Coupling
8810.175	175	
8810.225	225	
8810.300	300	
8810.375	375	
8811.150	150	 Slip/Repair Coupling
8811.175	175	
8811.225	225	
8811.300	300	
8811.375	375	
8823.175.150	175 x 150	 Reducing Socket
8823.225.175	225 x 175	
8823.300.225	300 x 225	
8823.375.225	375 x 225	
8823.375.300	375 x 300	



More products from Iplex Pipelines

NOVADRAIN

DRAIN WASTE & VENT SYSTEMS

SUPERSTORM™ & STORMFIT

PVC STORMWATER DUCT SYSTEM

NEXUS™ HI-WAY

ROAD DRAINAGE SYSTEM

NOVAKEY™

uPVC PRESSURE SYSTEMS

WHITE & BLUE RHINO™

HIGH IMPACT mPVC PRESSURE PIPE

BLUELINE

MEDIUM DENSITY POLYETHYLENE PIPE

POLIPLEX

POLYETHYLENE PRESSURE PIPE

ALKATHENE™

LOW DENSITY POLYETHYLENE PIPE

NOVATUBE

HORTICULTURAL LATERAL TUBE

GREENLINE, REDLINE™, RURAL BLACK & BLACKLINE

MEDIUM DENSITY POLYETHYLENE PIPE

PLASSON

METRIC COMPRESSION FITTINGS

NEXUS™FLO, NEXUS™COIL, NOVAFLO™ & NOVACOIL

LAND DRAINAGE SYSTEMS

IPLEX EFFLUENT PIPE

MEDIUM DENSITY POLYETHYLENE PIPE

FARMTUFF™ & NEXUS™ CULVERT

CULVERT PIPE

RAINWATER SYSTEMS

SPOUTING & DOWNPIPE

POLIGAS™

POLYETHYLENE GAS SYSTEMS

iplex.co.nz

Iplex Pipelines NZ Limited
Call 0800 800 262 or Fax 0800 800 804

Auckland: Private Bag 92 114, 810 Great South Road, Penrose
Palmerston North: Private Bag 11019, 67 Malden Street
Christchurch: PO Box 16225, 22 Braeburn Drive, Sockburn

© 2020 IPLEX PIPELINES (NZ) LIMITED. NEXUS™, IPLEX™, RESTRAIN™, APOLLO™, NOVAFLO™, FARMTUFF™, NOVAKEY™, POLIGAS™, RHINO™, REDLINE™, SUPERSTORM™ are registered trademarks of IPLEX PIPELINES (NZ) LIMITED.